

Strengthening program: Hip exercises before total hip replacement surgery

You may have discovered that you've been less active because of your hip joint discomfort. When muscles aren't used, they become weak and don't perform well in supporting and moving your body.

Having your hip replacement surgery will correct the joint problem, but you will need a regular exercise program to strengthen your muscles and properly support your new joint. Beginning an exercise program before your surgery can greatly enhance your recovery period. **Make sure to do the exercises on both sides to build strength.**

Because everyone responds to exercise differently, you need to be the judge of how much exercise you can do each day. **If an exercise causes an increase in joint discomfort, stop doing that exercise.**

You should try to exercise one to two times a day, every day, before surgery. Do five repetitions of each exercise. If you are comfortable with the exercise, increase the repetitions by five each week until you reach 20 repetitions (week one: 5 to 10 repetitions, week two: 10 to 15 repetitions and week three: 15 to 20 repetitions).


For the most comfort, do the exercises lying down. Your bed is an excellent place to do your exercises.



Ankle pumps and circles


Bend both your ankles up, pulling your toes toward you, then bend both your ankles down, pointing your toes away from you. In addition, rotate each foot clockwise and counterclockwise,

keeping your toes pointed toward the ceiling.



Thigh squeezes (quadriceps sets)

Tighten the muscles on the front of your thigh by pushing the back of your knee down into the bed. Hold for 5 seconds and relax. Repeat with opposite leg.



Buttocks squeezes (gluteal sets)

Tighten your buttocks muscles by squeezing the muscles together. Hold for 5 seconds and relax.




Heel slides (hip and knee flexion)

Bend your hip and knee by sliding your heel up toward your buttocks while keeping your heel on the bed. Slide your heel back




Bed mobility exercise

Lie flat on your back. Come up on both elbows. Straighten arms out behind you and come to a sitting position. Lower yourself down onto your elbows again, then down to lying flat.



Chair push up

Sit on a sturdy chair with arms or in a wheelchair. Grasp the arms of the chair. Push down on the chair arms, straightening your elbows so that you raise your buttocks off the seat of the chair. Hold for 5 seconds. Lower yourself slowly back into the chair. If your arms are weak at first, use your legs to help raise your buttocks off the chair.




Sitting kicks (long arc quads)

Sit in a sturdy chair. Lift your foot, straightening your knee as much as possible. Try to keep your knees level, as if you were holding a tray on your lap. Hold for 5 seconds. Slowly lower your leg down and relax. Return to the starting position and repeat with opposite leg.



Straight leg raises

Bend one of your legs with your foot flat on the bed. Raise your opposite leg up (about 12 inches), keeping your knee straight. Hold briefly. Progress to holding for 5 seconds. Slowly lower your leg down and relax. Repeat with opposite leg.



Optional: Abduction sets

Tighten muscles on the outside part of your thigh by pushing your leg outward against an immovable object. Hold for 5 seconds. Repeat with opposite leg.